



"DADS IN DISTRESS"

Dr Alka Kothari

Senior Obstetrician and Gynaecologist Redcliffe Hospital Queensland



STUDY POPULATION

28 FATHERS

EXPERIENCING A

TRAUMATIC

PREGNANCY

COMPLICATIONS

FETAL- 85%

MATERNAL-11%

MATERNAL/FETAL - 4%

DEMOGRAPHICS

CAUCASIAN - 93%

AGE 20 -47 YRS

FIRST BABY - 22%

UNEMPLOYED - 24%

MEASURES





MEASURES

EDINBURGH POST NATAL DEPRESSION SCALE

- 10 POINT QUESTIONNAIRE
- TAKES 2 MINUTES
- Q 9 ENQUIRES ABOUT CRYING
- Q 10 LOOKS AT SUICIDAL IDEATION
- MAXIMUM SCORE 30

VALIDATION STUDIES

- THERE ARE MULTIPLE STUDIES
 VALIDATING THE USE OF EPDS IN
 MEN
- MANY DIFFERENT CUTOFFS HAVE
 BEEN SUGGESTED



EPDS- VALIDATION STUDIES

AREIAS	1996	>9
MATTHEY	2001	>9
RAMCHANDANI	2005	> 12
Madsen and Juhl	2007	>10
Edmondson	2010	>10
Lai	2010	>10
Massoudi	2013	>12
Bergstorm	2013	>11
Carlberg	2018	>10

Cut off of 10 chosen as significant for depression



MEASURES

IMPACT OF EVENTS SCALE-REVISED

- 22 POINT QUESTIONNAIRE
- TAKES 10 MINUTES
- 3 SUBSCALES- AVOIDANCE(8),
 INTRUSION(8), HYPER AROUSAL(6)
- VALIDATED IN NATURAL DISASTERS,
 SURVIVORS OF WAR, MVA, BRAIN
 INJURY, PARENTS OF BABIES IN NICU

VALIDATION STUDIES

- <24 SOME SYMPTOMS</p>
- >33 BEST CORRELATION
- >37 IMMUNOSUPPRESSIVE
- CUT OFF OF 33 CHOSEN AS MOST LIKELY INDICATIVE OF POST TRAUMATIC STRESS
- RAW MAXIMUM SCORE 88



RESULTS



EPDS

SCORE	N (%)	HIGHEST SCORE	CRYING	SUICIDAL	
			n (%)	n (%)	
SURVEY 1 (2-3 weeks)					
10 or more	16/27 (60 %)	23*	18/26 (70%)	4/26 (16%)	
		* SB 37 weeks			
SURVEY 2 (3-4 months)					
10 or more	6/15 (40 %)	19**	6/15 (40%)	3/12 (25%)	
		** hysterectomy			

6 dads with very high scores declined survey 2



IMPACT OF EVENTS SCALE- REVISED

SCORE	N (%)	HIGHEST SCORE			
SURVEY 1 (2-3 weeks)					
33 or more	12/26 (47 %)	76**			
	(All above 37)	** hysterectomy			
SURVEY 2 (3-4 months)					
33 or more	4/15 (27 %)	77**			
	(All above 37)	** hysterectomy			

SCORE FOR PTSD

<24 some symptoms


>33 best cut off


>37 immunosuppressive

Scores in three men remained significantly elevated



DO REPORTED SYMPTOMS CHANGE OVER TIME?







FETAL LOSS

- 14 MEN SUFFERED A FETAL LOSS
- TERMINATION OF PREGNANCY FOR FETAL ANEUPLOIDY OR MAJOR MALFORMATION (9)
- INTRA UTERINE FETAL DEATH OR STILLBIRTH (5)

- 8/14 (57%) MEN
 SCORED AN EPDS
 SCORE > 10 AT
 SURVEY 1
- 3/9 (33%) MEN
 SCORED AN EPDS >
 10 AT SURVEY 2

- 7/13 (54%) MEN
 SCORED AN IES-R
 SCORE >33 AT
 SURVEY 1
- 3/9 SCORED (33%)
 AN IES-R SCORE >33
 AT SURVEY 2

SCORES IN THREE MEN REMAINED SIGNIFICANTLY ELEVATED




PEARSON CORRELATION COEFFICIENT

SURVEY 1

R² Linear = 0.620 25-0 20 0 **EPDS Total Score Survey 1** 0 00 00 20 IES Total Score Survey 1

SURVEY 2



Pearson correlation coefficient 0.787 (p-value <0.001)

Pearson correlation coefficient 0.859 (p-value <0.001)



CONCLUSION



CONCLUSION

- High level of "enduring distress"
- Significant possibility that some of these fathers may be suffering protracted bereavement reactions, major depression and/or significant post-traumatic syndromes (43%)
- Numbers from the study likely to be an underestimate
- These "Dads in Distress" may be "forgotten"



IMPLICATIONS FOR PRACTICE

- Develop specific screening tools to capture anxiety,
 depression and PTSD like symptoms
- Novel models of engagement embracing male coping strategies including specialised social media
- Multidisciplinary approach involving addiction services
- Recognition of effect on the family unit
- Recognition of trans-generational effects





Certificate

This is to certify that

Alka Kothari

has been awarded the

Best Oral Presentation of the Session

in

PNMH

for presenting:

"Dads in Distress"- Persisting depressive and traumatic symptoms in fathers following poor fetal, neonatal and maternal outcomes

at the

RCOG World Congress 2019

held on

17 - 19 June 2019

Honorary Co-Director of Conferences Mr Philip Toozs-Hobson FRCOG, Birmingham

Honorary Co-Director of Conferences Mr Andrew Sizer FRCOG, Shrewsbury

Royal College of Obstetricians and Gynaecologists, 27 Sussex Place, Regent's Park, London, NW1 4RG

T: +44 (0) 20 7772 6200 W: rcog.org.uk

S: @RCObsGyn

Registered Charity No. 213280



Thank you



