




New HIV diagnoses in Australia New HIV diagnoses 7% decline in last five years, lowest number since 2010 Year

Source: State and territory health authorities





HIV notification rate, by sex




Source: State and territory health authorities

3



New HIV diagnoses, by exposure category




Source: State and territory health authorities





HIV notifications reporting male-to-male sex, by country of birth




5





HIV notification rate, by Indigenous status




6

Source: State and territory health authorities



Late HIV diagnoses



Source: State and territory health authorities

轟 UNSW



Summary

- Downward trend over recent years
- Alongside increased testing, treatment, recent increase in PrEP uptake
- Cautiously optimistic about these reductions
- No declines in people born overseas, Indigenous people
- 10% increase in heterosexuals in last five years
- Continue to increase testing, treatment and PrEP coverage
- Additional tailored strategies needed





Summary

- Surveillance system strengths
 - · High accuracy and completeness of notifications data
 - Detailed collection of information on prevention indicators
- Gaps in surveillance
 - Population denominators
 - Testing coverage in some priority populations
 - HIV cascade of care by priority population


9





Full report available at: https://kirby.unsw.edu.au/report-type/annual-surveillance-report

Data available at:

https://data.kirby.unsw.edu.au












Acknowledgements

- Rebecca Guy, Jonathan King, Hamish McManus, Richard Gray, Jane Costello, Praveena Gunaratnam, Luci Bamford, Elaine Lee, The Kirby Institute
- James Ward, SAHMRI
- Christine Selvey, NSW Health
- State/Territory health departments
- Annual Surveillance Report Advisory Committee
- National BBVSTI Surveillance Subcommittee

11



Disclosure of interest

The Kirby Institute receives funding from the Australian Government Department of Health and is affiliated with the Faculty of Medicine, UNSW Sydney. No pharmaceutical grants were received in the development of this study.





HIV diagnosis and care cascade, 2017

