Emerging trends in NSW HIV notifications

Dr Christine Selvey Health Protection NSW



New diagnoses of HIV in all NSW residents



2

Total HIV serology tests from 15 NSW labs



Reported risk exposure of new HIV diagnoses



Newly diagnosed MSM by place of birth



Newly diagnosed MSM by place of birth and years living in Australia



World area of birth for newly diagnosed MSM



Defining area of residence

Gay Sydney' is a group of 29 postcodes in greater Sydney where the proportion of adult males who are gay men is >5%

Gay Sydney is purple

Other Sydney is green

Other NSW is blue





Newly diagnosed MSM, by area of residence & place of birth



Newly diagnosed MSM with evidence of early stage infection, by place of birth



Newly diagnosed MSM with evidence of early stage infection by area of residence and place of birth



Newly diagnosed MSM with late stage infection by place of birth



Newly diagnosed MSM with late stage infection by place of birth and years living in Australia



Type of diagnosing doctor for Australian and overseas born MSM





Overseas-born MSM

Time to ARV treatment initiation by six months post-diagnosis



Summary

Reductions in overall notifications while testing remains high suggests transmission in NSW has decreased

- Diagnoses in early stage infection have fallen in both Australian and overseas-born MSM, though mostly in metropolitan Sydney
- Increases in notifications of overseas-born MSM driven by large increase in those with late stage infection, who have recently arrived in Australia
- Treatment coverage continues to improve, along with great reductions in time to treatment initiation



Acknowledgements

► NSW Health HIV Surveillance Team

- Steven Nigro
- Kwendy Cavanagh
- Vicki Bowden
- ► HIV screening and reference laboratories

► Clinicians

NHMRC Partnership Project partners – Kirby Institute, Centre for Population Health, ACON, PosLife, ASHM

