Mobile Community-based Liver Health Assessment In Underserved Populations: The HepCare Project

Improve identification and treatment of HCV, focusing on community interventions and underserved populations such as the homeless, prisoners, and PWIDs.

Julian Surey: PI HepCare (London), Institute Global Health, UCL





Co-funded by the Health Programme of the European Union



disclosures

- Groundswell community peer organisation
 - Support from GILEAD



HepCare consortium and work packages

- UCD: Dublin (co-ordinators)
- SVB: Bucharest
- 🗲 SAS: Sevilla
- Sristol University
- ✓ UCL, London (UK)

- HepCheck
 - To enhance screening of vulnerable populations
- HepFriend
 - Peer interventions to increase awareness, testing and linkage to care
- ₲ HepLink
 - Improve linkage primary and secondary care with an integrated model care
- ✓ HepEd
 - To develop multidisciplinary interprofessional education in HCV
- 🗲 HepCost
 - Cost effectiveness and modelling analysis of interventions



Find&Treat Service, UCLH NHS Trust




Pan-London


Targets homeless population

>8,000 X-Rays per year

368 different venues / yr







Find&Treat: HCV Screening and outcome data							
		n	%				
	Total screened	461	-				
	Total HCV Ab in screened population	266	57.7				
	HCV RNA positive	197	42.7				
All get peer supported referral							
	Approved for treatment	104	52.8				
* *	Started treatment	89	85.6				
*	Favourable outcome	76	85.4	P			
	Poor outcome	13	14.6	HEPCARE FUROPE			

Find	&Treat: Fibroscan data (1)			
	Population Characteristics	n	%	
	Total screened	295	-	
	Chronic HCV infection	175	59.3	
	Gender - male	232	78.6	
	Homeless	167	56.6	
	Current injecting drug use	101	34.2	
	Alcohol use > 50 Units/week	111	37.6	
	Alcohol use > 100 Units/week	74	25.1	G_
				HEPCARE

Find&Treat: Fibroscan data (2)

Fibrosis score & Chronic HCV	n	%
F1	89	50.9
F2	31	17.7
F3	17	9.7
F4	38	21.7



Find&Treat: Fibroscan data (3)

Population characteristic	n	Mean (kPa)
no HCV / alcohol	68	5.8
Chronic HCV / no alcohol	101	8.3
High alcohol (>50U) / no HCV Very high alcohol (>100) / no HCV	52 47	8.7 8.9
Chronic HCV / high alcohol Chronic HCV / very high alcohol	65 39	18.5 21.6



HepCare: the future

Liver work

• HBV / ALD/ NAFLD

Scale up of the HepCare programme

- More funding
- More sites
- More integration with other diseases / conditions
- Migrant health



Mobile outreach

- valuable tool in accessing under-served populations
- Multiple interventions
- High rates HCV in the homeless population
 - Disengaged
 - Risk of transmission

Peer support

- · High levels of engagement
- Significant barriers to accessing care

High levels fibrosis

- Alcohol
- HCV
- Combination of both



HEPO

ARE

Acknowledgments and contact

HepCare – London

- Julian Surey –Institute of Global Health, UCL
- Ibrahim Abubakar Institute of Global Health, UCL
- Marie Francis Institute of Global Health, UCL
- Al Story Find&Treat, UCLH, London
- John Gibbons Groundswell, UK
- Dee Menezes Institute of Health Informatics, UCL

HepCare team:

- Jack Lambert / Walter Cullen UCD, Dublin, Eire.
- Cristiana Oprea Victor Babes Bucharest, Romania
- Juan Macias Hospital Universitario de Valme, Sevilla, Spain
- Peter Vickerman / Zoe Ward University Bristol, UK

🗲 Thanks:

- Groundswell
- Hepatitis C Trust

If you would like to know more or perhaps collaborate in future work, please contact:

UK: j.surey@ucl.ac.uk

EIRE: (co-ordinators): jlambert@mater.ie

Esp: jmacias@cica.es

Rom: Cristiana.opera@spitalbabes.ro



Co-funded by the Health Programme of the European Union

