

Report Back from the GP forum

Nada Andric, Homeless Healthcare GP

Micro-elimination is possible!

- ❖ GP
- 🌣 RN
- Aboriginal health worker
- * Receptionist (Indigenous)
- CLO (Indigenous)





Break the myth of 'the hard to reach'






It's not the patient that is hard to reach ... It's the Doctor!

We know where the patients are, we need to go to them

And if you're going to get a van, you may as well make it a Kombi



Priority settings



Geographic locations with high prevalence and/or incidence of hepatitis C



Community, primary health and other health services, including Aboriginal Community Controlled Health Services/ Aboriginal Medical Services



Places where priority populations live, work and socialise



Other services that support priority populations, including peer-based services, homelessness services and mental health services



Needle and syringe programs



Alcohol and other drug services

20

Custodial settings

Consensus Statement



Royal Australian and New Zealand College of Psychiatrists expert consensus statement for the treatment, management and monitoring of the physical health of people with an enduring psychotic illness Australian & New Zealand Journal of Psychiat 2017, Vol. 51(4) 322–337 DOI: 10.1177/0004867416686693

© The Royal Australian and New Zealand College of Psychiatrists 2017 Reprints and permissions: sagepub.co.uk/journals/Permissions.nav journals.sagepub.com/home/anp





Timothy JR Lambert^{1,2}, Nicola J Reavley³, Anthony F Jorm³ and Mark A Oakley Browne³

Lambert et al.

Consent Scope of practice

Figure 2. Initial assessment checklist.					
		Direct clinical measurements			
		Waist circumference		Blood pressure	
		Height		ECG (or review recent, if available)	
		Weight			
			Biochemical	assessment	
		Fasting blood sugar levels		Triglyceride levels	
		Two random blood sugar levels (if fasting not available)		Hepatitis and HIV serology	
		Total cholesterol		Full blood examination	
		Low-density lipoprotein (LDL- C)		Liver function tests	
		High-density lipoprotein (HDL-Cholesterol)		Urea, electrolyte and creatinine levels	
		Non-HDL cholesterol		Estimated glomerular filtration rate	
	П	TG/HDL-C or Log (TG/HDL-C)	П	Thyroid function tests (including thyroid stimulating ho	

