



A call for better access to care for people who use drugs

Mark Tyndall, MD, ScD
Executive Medical Director, BCCDC
Professor, UBC School of Population &
Public Health

Targeted approaches

HIV

HepC

Endocarditis

Overdose

Syphilis

Mental illness



Drug use

People take drugs to self-medicate.

People do *NOT* take drugs to become:

abused sick homeless stigmatized criminalized

Societal view of drugs

Deviant illegal activity



Spectrum

Chronic brain disease


Coping strategy

Demand reduction





Overdose rates and numbers

BC Data and Rates




BC Ambulance Service






The prevalence of Fentanyl


- Preliminary data for January through May 2017 suggest that the proportion of apparent illicit drug overdose deaths with fentanyl detected (alone or in combination with other drugs) is approximately 78%. Proportions from 2012 to 2017 are as follows:
 - 0 2012 = 4%
 - 0 2013 = 15%
 - 0 2014 = 25%
 - 0 2015 = 29%
 - o 2016 = 67%
 - o 2017 (Jan.-May) = 78%








Across the US




Drug overdose deaths in six Ohio counties, 2010 to 2017



Totals for 2017 assume that overdose deaths continue at the same rate through the remainder of the year.


Source: Butler County Coroner's Office; Cuyahoga County Medical Examiner's Office; Hamilton County Coroner; Montgomery County Alcohol, Drug Addiction & Mental Health Service; Montgomery County Sheriff's Office; Summit County Department of the Medical Examiner


Average days of opioid use per resident per year




Values are three-year rolling averages for 2013 to 2015.

Source: International Narcotics Control Board





Drug seizures containing fentanyl






Why now?

- Decades of rising Opiate prescribing
 - Delisting of OxyContin (2012)
 - Stricter guidelines for prescribing
 - Inconsistent heroin supply

Fentanyl and moral panic



MORAL PANICS

A Crisis or event happens
And is reported in the
Media

SENSIFICATION: The Public become sensitive To the issue




COUNTER-ACTION:

Government/Legislation/
Punishment is agreed on to
Take action against the
Deviants.

WITCH HUNT: Deviants
In society are found and
Become folk devils/
Scapegoats for the issue

AMPLIFICATION:


Primary Definers-Drs,
Police and social media.
Government add definition to
The issue of the deviant, it now
Appears to be FACT!



PANIC: The deviant issue
Is escalated; the original
Problem disguised. There is
Panic in general public.

News coverage...





B.C. is the first province to take this kind of action in response to the current public health crisis from drug overdoses.

Name of States o







Public health emergency announcement

B.C. is the first province to take this kind of action in response to the current public health crisis from drug overdoses.

The recent surge in overdoses is a huge concern for us... We have to do what's needed to prevent overdoses and deaths, and what's needed is real-time information. Medical health officers need immediate access to what's happening and where so they can deploy the necessary strategies to prevent these tragedies.

- Health Minister Terry Lake.




Take home Naloxone



Doug Nickerson was saved five times from the lifesaving naloxone, he now puts it to use for others when he walks Surrey's notorious strip in Whalley.

As a BCCDC "peer", "little Doug" has reversed 113 overdoses using naloxone.



WORKING TOGETHER | REDUCING HARM

Last Updated: August 1st, 2017

Announcement of supervised sites





BC Overdose Action Exchange key actions



Engage peers in program development and leadership



Address contamination of the drug supply



Support appropriate pain management therapies



Build on the success of Overdose Prevention Sites



Expand and improve addiction treatment



Align law enforcement efforts with public health



Reform drug laws




Address structural barriers and upstream factors



Counter stigma against people who use drugs



Implement targeted research, surveillance and evaluation initiatives



Going forward

Engage peers



Safer drugs







Pain management therapies

Please Note

Narcotic Drugs

(Morphine, Demerol, Percocet, T-3's, etc.) and

Sedative Drugs

(Ativan, Valium, Serax, etc.)

are not prescribed

at this clinic.

If you are here to request them, you will be refused.

Please don't waste your time (and the physician's) by insisting to see the physician for the above.

Supervised consumption sites









Addiction treatment



Align law enforcement with public health



www.supportdontpunish.org

Reform drug laws

THE WAR ON DRUGS



Public Health and international drug policy

Csete J. Kamarulzaman A. Kazatchkine M. Altice F. Balicki M. Buxton J. Cepeda J. Comfort M. Goosby E. Goulão J. Hart C. Kerr T. Lajous AM, Lewis S. Martin N. Mejia D. Camacho & Mathieson D. Obot I. Ogunrombi A. Sherman S. Stone J. Vallath N. Vickerman P. Zábranský T. Beyrer G.

Lancet, 2016 Apr 2;387(10026):1427-80.



Support services








Counter stigma



Research Surveillance Evaluation





Barriers to an effective response

- Criminalization of drug use and the associated stigma
- Limited tools to disrupt a toxic drug supply
- Neglect of providing minimal services and support to people who self-medicate with illicit substances.

Impact on the community



