



were completed Barriers to Regular	Teeting		56% 14%	Bi-sexu	sexual	× .
Location	100	23%		Homos		
Testing Hours	121	27%	29%	Cther		
Having to book appointment	174	39%		70% M		
Other	46	10%	Testing Fi		5141	
Find No Appointmer	nts Helpf	iul:	Never Tested Before	86	23%	
Extremely	310	83%	1-3 Months	58	16%	
Very	60	16%	4-6 Months	99	26%	
Somewhat	5	1%	Yearly	39	10%	
Not Very	0	0%	Randomly	74	20%	
Not at All	0	0%	Event Based	18	5%	
Satisfied with Testing I	Experier	nce:	Imporantance of S	horter Appoint	iment:	
Extremely	301	80%	Extremely	201	54%	
Very	69	18%	Very	102	27%	
Somewhat	5	1%	Somewhat	55	15%	
Not Very	0	0%	Not Very	16	4%	
Not at All	0	0%	Not at All	1	0%	

service. Not interested in sex on site venue testing."

## CONCLUSIONS/IMPLICATIONS:

- Maintained the peer based dropin clinic eliminated weekend testing
- Sustained uptake: 130% Increase in testing numbers (16/17 vs 17/18)
- Encouraging people to move to regular testing instead of event based testing
- Enhanced with self swabbing and urine
- Added a sexual health clinic for treatment and PrEP
- Other services have adopted 60 second dropin clinics





Tinana On Antraron