

Interim evaluation of the NSW DBS Study – dried blood spot testing for HIV and hepatitis C

Authors:

Carrington N^{1,4} (named), and Conway A^{2,3}, Murray C⁴, McNulty A¹, and Cunningham P^{5,6} (named), Catlett B^{2,5,6}, Causer L², Grebely J², Guy R², Holden J⁷, Keen P², Lu H¹, McGrath C⁷, Power C⁴, Prain B⁴, Read P⁸, Starr M^{5,6}, Stevens A⁴

¹Sydney Sexual Health Centre, ²The Kirby Institute, UNSW Sydney, ³Centre for Social Research in Health, UNSW Sydney, ⁴Centre for Population Health, NSW Ministry of Health, ⁵NSW State Reference Laboratory for HIV, St Vincent's Hospital, ⁶St Vincent's Centre for Applied Medical Research, St Vincent's Hospital, ⁷NSW Justice Health & Forensic Mental Health Network, ⁸Kirketon Road Centre, South Eastern Sydney Local Health District

Background: Dried blood spot (DBS) testing provides an alternative to phlebotomy and addresses barriers to accessing healthcare experienced by some key populations. Large-scale evaluations of DBS testing programs are needed to understand their feasibility. This study aims to evaluate the implementation of a state-wide DBS HIV and HCV testing pilot.

Methods: The New South Wales (NSW) DBS Pilot is an interventional cohort study of people testing for HIV Ab and/or HCV RNA in NSW, Australia. Participants at risk of HIV/HCV participated in testing via: 1) self-registration online with a DBS collection kit delivered and returned by conventional postal service; or 2) assisted DBS sample collection at 36 community health sites (including drug treatment and harm-minimisation services) and prisons. Participants received results by text (negative) or a healthcare provider (positive). The RE-AIM framework was used to evaluate reach, effectiveness, and implementation.

Results: Reach: Between November 2016 and December 2020, 7,392 individuals were tested for HIV and/or HCV (21% self-registration, 34% assisted in community, and 45% assisted in prison). Effectiveness: Of 6,922 people tested for HIV (19% MSM, 13% living outside major cities, 21% born outside Australia), 51% (3,521/6922) had no HIV test in the past two years, 0.1% (10/6,922) were newly diagnosed with HIV, and 70% (7/10) initiated HIV treatment within six months. Of 5,960 people tested for HCV (24% women, 35% Aboriginal and/or Torres Strait Islander, 55% recently injected drugs), 15% had detectable HCV RNA (878/5,960), and 45% (393/878) initiated treatment within six months. Implementation: By the end of 2020, DBS testing was available in 36 community sites and 21 prisons.

Conclusions: This study demonstrates the feasibility of DBS testing for HIV and HCV in key populations including people in rural locations, people who inject drugs, and people in prison.

Disclosure of Interest Statement: JG is a consultant/advisor and has received research grants from AbbVie, Camurus, Cepheid, Gilead, Hologic, Indivior, and Merck outside the submitted work. PK has received a financial award and speakers fees from Gilead.

Table 1 – Reach: Characteristics of online registrations by return of sample to lab

Variables	Total online registrations		Did not return DBS sample to lab		Returned DBS sample to lab	
	N	%col	n	%row	n	%row
Total	3506		1258	36%	2248	64%
Test performed						
HIV + HCV	653	19%	270	41%	383	59%
HIV only	2839	81%	985	35%	1854	65%
HCV only	14	0%	3	21%	11	79%
Gender						
Male	3045	87%	1052	35%	1993	65%
Female	409	12%	175	43%	234	57%
Other	52	1%	31	60%	21	40%
Age						
=<25	1076	31%	374	35%	702	65%
25-34	1364	39%	499	37%	865	63%
35-44	549	16%	230	42%	319	58%
45-54	285	8%	103	36%	182	64%
>55	232	7%	52	22%	180	78%
Aboriginal and/or Torres Strait Islander						
No	3350	96%	1172	35%	2178	65%
Yes	156	4%	86	55%	70	45%
Major city postcode						
No	843	24%	292	35%	551	65%
Yes	2663	76%	966	36%	1697	64%
Men who have sex with men						
No	1068	30%	426	40%	642	60%
Yes	2438	70%	832	34%	1606	66%
Sexual partner from Asia or Africa						
No	2337	67%	848	36%	1489	64%
Yes	1169	33%	410	35%	759	65%
Born outside of Australia						
No	2035	58%	746	37%	1289	63%
Yes, Asia or Africa	991	28%	355	36%	636	64%
Yes, other	480	14%	157	33%	323	67%
Speaks English at home						
No	854	24%	305	36%	549	64%
Yes	2652	76%	953	36%	1699	64%
Recently injected drugs						
No	3202	91%	1118	35%	2084	65%
Yes	239	7%	110	46%	129	54%
Prefer not to say	59	2%	26	44%	33	56%

Table 2- Reach: Characteristics of people tested by registration type

Variables	People tested		Online self-registration		Assisted registration	
	N	%col	n	%col	n	%col
Total	7392		1559		5833	
Test performed						
HIV + HCV	5467	74%	269	17%	5198	89%
HIV only	1441	19%	1282	82%	159	3%
HCV only	484	7%	8	1%	476	8%
Gender						
Male	5752	78%	1340	86%	4412	76%
Female	1573	21%	205	13%	1368	23%
Other	67	1%	14	1%	53	1%
Age						
=<25	1194	16%	490	31%	704	12%
25-34	2308	31%	607	39%	1701	29%
35-44	1981	27%	243	16%	1738	30%
45-54	1279	17%	120	8%	1159	20%
>55	630	9%	99	6%	531	9%
Aboriginal and/or Torres Strait Islander						
No	5255	71%	1499	96%	3756	64%
Yes	2137	29%	60	4%	2077	36%
Major city postcode						
No	901	12%	354	23%	547	9%
Yes	6491	88%	1205	77%	5286	91%
Men who have sex with men						
No	6054	82%	548	35%	5506	94%
Yes	1338	18%	1011	65%	327	6%
Sexual partner from Asia or Africa						
No	6171	83%	981	63%	5190	89%
Yes	1221	17%	578	37%	643	11%
Born outside of Australia						
No	5896	80%	845	54%	5051	87%
Yes, Asia or Africa	757	10%	489	31%	268	5%
Yes, other	739	10%	225	14%	514	9%
Speaks English at home						
No	813	11%	418	27%	395	7%
Yes	6579	89%	1141	73%	5438	93%
Recently injected drugs						
No	3780	51%	1436	92%	2344	40%
Yes	3360	45%	98	6%	3262	56%
Prefer not to say	250	3%	23	1%	227	4%

Assisted registration setting		
Community	2523	43%
Justice Health	3310	57%

Table 3 – Effectiveness: Characteristics of people not recently tested for HIV by registration type

Variables	Overall		
	Total people tested for HIV in pilot N	Tested more than 2 years ago or never n %	
Total	6922	3521	51%
Test performed			
HIV + HCV	5481	2676	49%
HIV only	1441	845	59%
Gender			
Male	5365	2724	51%
Female	1491	767	51%
Other	66	30	45%
Age			
=<25	1138	662	58%
25-34	2158	1016	47%
35-44	1851	833	45%
45-54	1195	629	53%
>55	580	381	66%
Aboriginal and/or Torres Strait Islander			
No	4953	2650	54%
Yes	1969	871	44%
Major city postcode			
No	876	519	59%
Yes	6046	3002	50%
Men who have sex with men			
No	5599	2859	51%
Yes	1323	662	50%
Sexual partner from Asia or Africa			
No	5729	2810	49%
Yes	1193	711	60%
Born outside of Australia			
No	5482	2658	48%

Yes, Asia or Africa	741	468	63%
Yes, other	699	395	57%
Speaks English at home			
No	788	485	62%
Yes	6134	3036	49%
Recently injected drugs			
No	3477	2027	58%
Yes	3203	1338	42%
Prefer not to say	240	155	65%
Assisted registration setting			
Community Justice Health			

Table 4 – Effectiveness: Characteristics of people not recently tested for HCV RNA by registration type

Variables	Overall		
	Total people tested for HCV in pilot N	Tested more than 2 years ago or never n %	
Total	4112	1851	45%
Test performed			
HIV + HCV	3581	1675	47%
HCV only	531	176	33%
Gender			
Male	3150	1433	45%
Female	918	394	43%
Other	44	24	55%
Age			
=<25	495	245	49%
25-34	1192	500	42%
35-44	1212	466	38%
45-54	806	400	50%
>55	407	240	59%
Aboriginal and/or Torres Strait Islander			
No	2755	1333	48%
Yes	1357	518	38%
Major city postcode			
No	480	231	48%
Yes	3632	1620	45%

Men who have sex with men			
No	3824	1701	44%
Yes	288	150	52%
Born outside of Australia			
No	3430	1439	42%
Yes, Asia or Africa	284	185	65%
Yes, other	398	227	57%
Speaks English at home			
No	337	210	62%
Yes	3775	1641	43%
Recently injected drugs			
No	2406	1233	51%
Yes	1481	474	32%
Prefer not to say	225	144	64%
Assisted registration setting			
Community			
Justice			
Health			

Table 5- Effectiveness: Characteristics of people with a positive/borderline HCV RNA result

Variables	Total people tested for HCV RNA		Negative result		Positive/borderline result		p value
	N	%col	n	%row	n	%row	
	5960		5082	85%	878	15%	
Registration type							
Online	328	6%	313	95%	15	5%	
Assisted (community)	2357	40%	1948	83%	409	17%	
Assisted (prison)	3275	55%	2821	86%	454	14%	0.000
Test performed							
HIV + HCV	5472	92%	4661	85%	811	15%	
HCV only	488	8%	421	86%	67	14%	0.515
Gender							
Male	4517	76%	3853	85%	664	15%	
Female	1390	23%	1188	85%	202	15%	
Other	53	1%	41	77%	12	23%	0.261

Age							
=<25	749	13%	639	85%	110	15%	
25-34	176	30%	155	88%	213	12%	
	8		5				
35-44	175	29%	147	84%	284	16%	
	5		1				
45-54	116	19%	942	81%	220	19%	
	2						
>55	526	9%	475	90%	51	10%	0.000
Aboriginal and/or Torres Strait Islander							
No	385	65%	332	86%	529	14%	
	7		8				
Yes	210	35%	175	83%	349	17%	0.003
	3		4				
Major city postcode							
No	593	10%	487	82%	106	18%	
Yes	536	90%	459	86%	772	14%	0.023
	7		5				
Men who have sex with men							
No	552	93%	468	85%	844	15%	
	6		2				
Yes	434	7%	400	92%	34	8%	0.000
Born outside of Australia							
No	508	85%	427	84%	813	16%	
	4		1				
Yes, Asia or Africa	347	6%	331	95%	16	5%	
Yes, other	529	9%	480	91%	49	9%	0.000
Speaks English at home							
No	439	7%	405	92%	34	8%	
Yes	552	93%	467	85%	844	15%	0.000
	1		7				
Recently injected drugs							
No	244	41%	225	92%	188	8%	
	3		5				
Yes	329	55%	261	80%	674	20%	
	2		8				
Prefer not to say	225	4%	209	93%	16	7%	0.000