



LARCs-Why are they so important?

Professor Gab Kovacs
Professor of O & G, Monash University,
Director of O & G Institute,
Epworth Healthcare

Epworth HealthCare Obstetrics & Gynaecology Clinical Institute

The facts

- Contraception is now readily available to all Australians- GPs, Family Planning and Sexual Health clinics, Public Hospital Clinics, Gynaecologists
- Most modern contraceptives have a theoretical effectiveness of 99%+

Contraceptive Menu

In Red- 99% "effective"

Hormonal

- Combined hormonal
 - COC
 - Ring
- Progestogen only
 - POP
 - Injectable
 - Implant
 - IUS

Non-hormonal

- Natural Family Planning
- Withdrawal
- Barriers
 - Condoms
 - Diaphragms
- Copper IUDs
- Sterilisation

Pregnancies in Australia

- About 400,000 conceptions in Australia/year
- 1in 4 (approx 100,000) end in termination
- Of the 300,000 births (it is estimated) 1 in 3 are not at an optimum time for the couple

Why, when we have contraceptives which are

- Effective,
- Available
- Affordable


Contraceptive failure

Contraceptive Failure

Contraceptive failure =

Method failure + User failure

LARCs offer the highest levels of efficacy



Incidence of unintended pregnancy within 1st year of typical use1

^{1.} Trussell J. Contraception 2011;83(5):397-404

LARCs

- Subdermal implants
- IUD and IUS
- Injectables

Once inserted/ injected -No user involvement

MINIMISE UNINTENDED PREGNANCY

Thank you MSD

- For providing unconditional funding to allow this Symposium to happen.
- MSD had no influence on the content covered.