



Kirby Institute

What drugs are GBMSM using and what role do they play?

Mohamed A. Hammoud¹ Brendan Jacka² Garrett Prestage¹

¹ The Kirby Institute, UNSW, Sydney, Australia

² Centre de recherche du CHUM, Université de Montréal, Montréal Canada

Cross Track Session 1: Sexualised drug use among gay, bisexual and other MSM: exploring assumptions, motivations and implications

Australasian HIV & AIDS Conference | September 2018

Disclosures: The Flux Study is funded by an Australian Research Council Discovery Project. This study was partly funded by the Gilead Australia Fellowship: Research Grants Program. Funders had no input in the data collection, analysis, interpretation, or presentation of any findings.

What drugs are GBMSM using?




Background: Drug use among GBMSM

What drugs are GBMSM using?



Prevalence of licit drug use



www.flux.org.au
[#FluxStudy](#)
[f/FluxStudy](#)
[t/FluxStudy](#)
[✉ mhammoud@kirby.unsw.edu.au](mailto:mhammoud@kirby.unsw.edu.au)

What drugs are GBMSM using?



Method:
The Flux Study

What drugs are GBMSM using?



Methods

The Flux Study

- Following Lives Undergoing Change
- A prospective observational study on licit and illicit drug use among GBM
- Over 3000 enrolled between 2014 and 2018

Analysis

- Baseline
 - Latent class analysis
- One year follow-up data
 - Latent transition analysis

 www.flux.org.au
 #FluxStudy
  /FluxStudy
  /FluxStudy
  mhammoud@kirby.unsw.edu.au

What drugs are GBMSM using?



Characteristics

| | |
|----------------------------|---------|
| Participants | 3253 |
| Mean age (SD) | 35 (13) |
| Professional Details n (%) | |
| University educated | 52% |
| Manager or professional | 61% |
| Sexual Identity n (%) | |
| Gay | 88% |
| Bisexual | 9% |
| Heterosexual | <1% |
| Other | 2% |
| HIV Status n (%) | |
| HIV positive | 8% |
| HIV negative | 72% |
| Don't know | 21% |
| Any history of Hepatitis C | 2% |

 www.flux.org.au
 #FluxStudy
  /FluxStudy
  /FluxStudy
  mhammoud@kirby.unsw.edu.au

What drugs are GBMSM using?




Results: Prevalence, frequency, and incidence

Drug use among gay and bisexual men



Baseline prevalence



www.flux.org.au

#FluxStudy

f /FluxStudy


t /FluxStudy

mhammoud@kirby.unsw.edu.au

Drug use among gay and bisexual men

Flux UNSW KIRBY

Frequency at use




www.flux.org.au
[#FluxStudy](#)
[/FluxStudy](#)
[/FluxStudy](#)
mhammoud@kirby.unsw.edu.au

Drug use among gay and bisexual men

Flux UNSW KIRBY

Drug initiation



www.flux.org.au
[#FluxStudy](#)
[/FluxStudy](#)
[/FluxStudy](#)
mhammoud@kirby.unsw.edu.au

What drugs are GBMSM using?




Results:

Identifying patterns of polydrug use among GBMSM

What drugs are GBMSM using?



Latent class analysis (N=3253)



We can apply descriptors to the groups:

A – Minimal/no recent drug use

B – Licit drugs used for sex
EDM and amyl

C – Party drugs
Ecstasy, marijuana, cocaine, speed, LSD


D – Chemsex drugs
EDM, crystal meth, GHB, amyl, injection drug use

E – Chemsex and party drugs

Relationships between characteristics

| | Min/no drug use | Licit sex drugs | Party drugs | Chemsex drugs | Chemsex & party drugs |
|-------------------------------------|-----------------|-----------------|-------------|---------------|-----------------------|
| Age, [mean (SD)]*** | 33.6 (13.5) | 36.0 (10.2) | 32.1 (10.6) | 41.7 (10.6) | 47.6 (12.2) |
| HIV status | | | | | |
| Positive | 3.7 | 12.2 | 3.8 | 25.8 | 17.9 |
| Negative | 72.7 | 84.4 | 84.5 | 70.3 | 77.0 |
| Untested/unknown | 23.6 | 3.3 | 11.7 | 3.8 | 5.1 |
| Gay social engagement*** | 3.3 (1.6) | 4.7 (1.6) | 3.8 (1.7) | 4.1 (1.6) | 4.1 (1.5) |
| Number of sexual partners*** | 10.8 (33.8) | 33.6 (62.8) | 14.0 (22.0) | 38.0 (87.7) | 25.4 (38.9) |
| Group sex*** | 16.9 | 49.4 | 27.8 | 50.5 | 40.4 |
| Sex with casual partners*** | | | | | |
| AI without Condom/PrEP-/TasP | 16.0 | 20.6 | 21.1 | 24.2 | 20.9 |
| PrEP/TasP condomless sex | 6.5 | 34.4 | 14.1 | 41.8 | 28.5 |
| Drugs used for sex*** | 0.3 | 85.0 | 6.4 | 91.8 | 40.6 |

Latent transition analysis (n=1119)



Conclusion:

What do these findings mean in the real world?

Summary

- Most recent drug use was infrequent
- Five group memberships were
- Little change in drug using behaviours over time

What drugs are GBMSM using?



Conclusion

What drugs are gay and bisexual men using and what role do they play?

Drugs that are used to enhance sex to specifically engage in chemsex

www.flux.org.au
 FluxStudy
 /FluxStudy
 /FluxStudy
 mhammoud@kirby.unsw.edu.au

What drugs are GBMSM using?



Thank you

The Flux participants

All 3253 participants

Lead Investigator

Garrett Prestage
Kirby Institute, UNSW

Lead Author

Brendan Jacka
Centre de recherche du CHUM

Senior Research Officer

Mohamed A. Hammoud
Kirby Institute, UNSW

The Study Team

Shawn Clackett
Kirby Institute, UNSW

Stefanie Vaccher
Kirby Institute, UNSW

Steven Philpot
Kirby Institute, UNSW

Chief Investigators

Lisa Maher
Kirby Institute, UNSW

Jeff Jin
Kirby Institute, UNSW

Adam Bourne
ARCSHS, La Trobe

Louisa Degenhardt
National Drug and Alcohol Research Centre, UNSW

Toby Lea
Centre for Social Research in Health, UNSW

Bridget Haire
Kirby Institute, UNSW

Peter Saxton
New Zealand AIDS Foundation

Associate Investigators

Nicky Bath
National LGBTI Alliance

Brent Mackie
AOCN

Colin Batrouney
VAC

Funders

Australian Research Council
Gilead Science

Special thanks

Garrett Prestage
Primary PhD Supervisor

Roderick Lander
Mentor

Shawn Clackett
Recovery team leader

Brent Clifton
Crisis team lead

Stefanie Vaccher
Bringer of happiness

Craig Cooper
He knows why

www.flux.org.au
 FluxStudy
 /FluxStudy
 /FluxStudy
 mhammoud@kirby.unsw.edu.au