Abortion in a global world: using technology to cross national borders






Clinical A/Prof Deborah Bateson Medical Director Family Planning NSW Australasian board member of FIAPAC


Abortion in a global world

WHO 2010-2014:

- ➤ 25% of all pregnancies ended in an abortion
- ➤ 56 million abortions worldwide each year
- ➤ 35 abortions per 1000 women aged between 15–44 years



Abortion, surgical or medical, is a safe procedure when performed by appropriately trained providers using correct techniques



Unsafe abortion: new classifications in a changing world

- Least safe: untrained persons using dangerous methods:
- > sticks, bicycle spokes, toxic solutions pumped into the uterus, direct trauma
- drinking poisons, bleach, massive doses of medications
- Less safe: trained providers using unsafe methods or untrained persons using 'safe' methods
- sharp curettage; incorrect or unsupervised use of misoprostol

Responsible for 4.7 - 13.2% maternal deaths (43,000 deaths) & an estimated 7 million complications annually







Ganatra et al Global regional and subregional classifications of abortions by safety, 2010-2014 The Lancet Sept 2017 Joint WHO and Guttmacher publication

The World's Abortion Laws map 2014

25% of the world's population live in countries with highly restrictive abortion laws



Center for Reproductive Rights www.reproductiverights.org




guttmacher.org





€2016

3



Using technology to improve access and reduce unsafe abortions



family planning nsw

Providing safe abortion in a global world



- Women on Waves founded in 1999
- Safe abortions provided on a Dutch ship outside the territorial waters of countries where abortion is illegal
- Boat campaigns in Ireland, Poland, Portugal, Spain & Mexico
- Women on Web set up in 2006





www.fpnsw.org.au | talkline 1300 658 886 | bookshop clinical services & information | education & training | research | international developmen | Family Famings 190% a nor-few profes organization Indeed by the KBW Ministry of Health



Women on Web: a digital community providing MTOP

'allowing women the possibility of taking their lives in their own hands irrespective of the legality of abortion or the willingness of doctors (to provide services)'

- women must:
- live in a country where access to safe abortion is restricted
- be less than 10 weeks pregnant
- have access to emergency care and no severe illnesses





Pregnancy Calculator

Abortion without borders

- Questionnaire followed by online medical consultation (17 languages)
- In countries where the website is blocked answers can be sent via email
- Mifepristone and misoprostol prescribed & delivered by post
- Multilingual helpdesk teams available in some countries
- More than 10,000 emails received each month from across the globe

www.womenonweb.org



Self reported outcomes and adverse events after medical abortion through online telemedicine: population based study in the Republic of Ireland and Northern Ireland BMJ 2017 Aitken A et al

- 2010-12: drugs sent to 1636 women
- 1023 confirmed use; FU information for 1000
- 781 (78%) <7 weeks; 219 (22%) 7-9 weeks
- 94.7% (95% CI 93.1 96.0) reported completion without surgical intervention
- 7 reported a blood transfusion & 26 reported antibiotic use





Self sourced medical abortion using online telemedicine can be highly effective, and outcomes compare favourably with in clinic protocols.

Unsafe abortions are almost entirely preventable

- Evidence that women can safely carry out medical abortion themselves at home
- Technology can empower women through information to carry out safe medical abortion rather than resorting to unsafe means
- When abortion is made legal, safe, and easily accessible (medical and surgical), women's health rapidly improves





Thank you & with thanks to Alanna Galati Senior Policy Manager, Guttmacher Institute

