



Gonorrhoea and syphilis among heterosexuals in Australia

Dr Eric Chow, Senior Research Fellow

- 1. Melbourne Sexual Health Centre, Alfred Health, Melbourne, Victoria, Australia
- 2. Central Clinical School, Monash University, Melbourne, Victoria, Australia

IUSTI AP Sexual Health Congress 2018 | Auckland | 3 November 2018








Gonorrhoea notification rate, by sex










Gonorrhoea notified cases, by sex








Gonorrhoea cases, by age








@EricPFChow

Risk factors?










Source: MSHC unpublished data. Misson (Under Review)


Gonorrhoea, by ATSI status





Gonorrhoea notification rate per 1000 000 population, 2013–2017, by state/ territory and Aboriginal and Torres Strait Islander status







Infectious syphilis rate, by sex **MSHC** 30 Age standardised rate per 100 000 25 20 15 10 5 2007 2008 2009 2010 2013 2014 2011 2012 2015 2016 2017 9.9 12.3 14.3 16.6 30.6 Male 12.5 11.3 11 9 21 25

→ Total

✓ @EricPFChow

Female

1.5

7

1.4

6.3

Source: Australian National Notifiable Diseases Surveillance System

3.6

14.3

Infectious syphilis cases, by sex

1

6

1.1

1.5

5.7

1.4

6.9

1.3

7.8

1.5

9




2.5

11.7



5.2

17.9




@EricPFChow

Infectious syphilis cases, by age










Source: Australian National Notifiable Diseases Surveillance System


Infectious syphilis, by ATSI status





Infectious syphilis notifications per 100 000 population, 2013–2017, state /territory and Aboriginal and Torres Strait Islander status








Syphilis outbreak: Indigenous population MSHC MONASH

- Females
- 15-29 yrs

Figure 1. Epidemic curve showing category 1 infectious syphilis ^o outbreak cases notified in Aboriginal and Torres Strait Islander people residing in affected regions[§] of Queensland, the Northern Territory, Western Australia and South Australia from commencement of the outbreak in each jurisdiction to 30 September 2018 t^v



Y @EricPFChow

Source: Department of Health Surveillance Report October 2018

Congenital syphilis








@EricPFChow



Infectious syphilis cases in Victoria







SETION SETION SETION

Victoria's responses





 Doctors were issued a health advisory warning from the Department of Health in early August 2018, urging them to screen all risk groups — including women of reproductive age and pregnant women.





Acknowledgment





Melbourne Sexual Health Centre



Kit Fairley



Marcus Chen



Ian Denham




Jennifer Misson

The Kirby Institute



Rebecca Guy





Call for Papers

Gonorrhoea: tackling the global epidemic in the era of rising antimicrobial resistance

Guest Editors: Eric Chow (Australia), Jason Ong (UK), Deborah Williamson (Australia), Philippe Mayaud (UK), Gwenda Hughes (UK), Teodora Wi (Switzerland)

A CSIRO PUBLISHING JOURNAL www.publish.csiro.au/sh

Submission deadline: 1 December 2018 Contact Jason Ong: jong@mshc.org.au

