

# Medication Possession Ratio as a Measure for PrEP Adherence in the EPIC-NSW Study

Fengyi Jin, Janaki Amin, Rebecca Guy, Stefanie Vaccher, Benjamin Bavinton, Christine Selvey, Iryna Zablotska, Jo Holden, Karen Price, Barbara Yeung, Shawn Clackett, Gesalit Levitt, Erin Ogilvie, Anna McNulty, David Smith, Andrew Grulich on behalf the EPIC NSW Research Group September 2019



# Background

- PrEP adherence is key to its effectiveness
- A range of methods have been used to measure PrEP adherence
  - Self-report
  - Medication possession ratio
  - Drug concentration testing




# **Medication possession ratio**

- A review of the PrEP dispensing logs
- Study period
  - Date of first dispensing April 30, 2018, divided by a series of 90-day intervals (quarterly)
- Days PrEP in possession equals number of pills dispensed
- MPR: days PrEP in possession/90



## **MPR by Quarters**






# **Group-based Trajectory Modelling<sup>1</sup>**

- A new statistical method designed to identify:
  - Groups of individuals following similarly developmental trends
- Capable of profiling characteristics of individuals within the clusters
- Participants with at least 4 quarterly intervals included (n=6503, 67.8%)

<sup>1</sup>Nagin DS, Odgers CL. Group-based trajectory modeling in clinical research. Annu Rev Clin Psychol 2010;6:109-38




### **MPR Clusters in EPIC-NSW**






#### **PrEP Adherence and Age**






## **PrEP Adherence and country of birth**






## **PrEP Adherence and GBM concentration**





## **PrEP Adherence and Risk Profile at Baseline**





## **Risk factors for PrEP adherence**

	Stopped early		Steady MPR decline			Good adherence			
	aRR	95% CI	Р	aRR	95% CI	Р	aRR	95% CI	Р
Age			<0.001			<0.001			<0.001
<25	1			1			1		
25-34	0.51	0.37-0.69		0.59	0.45-0.76		0.81	0.64-1.03	
35-44	0.27	0.19-0.38		0.36	0.27-0.47		0.71	0.55-0.90	
≥45	0.18	0.12-0.26		0.28	0.21-0.37		0.61	0.47-0.78	
Coutry of birth			<0.001			<0.001			0.019
Aus/Other Eng	1			1			1		
Asia/Other	0.61	0.48-0.79		0.70	0.59-0.84		0.85	0.74-0.97	
<b>GBM</b> concentration			<0.001			0.002			0.265
>20%	1			1			1		
10-20%	0.78	0.51-1.20		1.01	0.76-1.35		0.84	0.98-1.37	
5-10%	1.11	0.77-1.62		0.99	0.76-1.31		1.01	0.82-1.23	
<5%	1.50	1.17-1.92		1.31	1.10-1.57		0.91	0.79-1.04	
Risk profile			<0.001			<0.001			0.021
None STI/Meth	1			1			1		
Meth only	1.38	1.04-1.83		1.22	0.99-1.50		1.16	0.98-1.37	
STI only	1.09	0.80-1.49		1.06	0.84-1.33		1.05	0.87-1.27	
Both	3.11	2.04-4.74		2.35	1.66-3.34		1.51	1.10-2.06	

Highly adherence was used as the reference group. aRR: adjusted risk ratio



# Conclusion

- PrEP adherence in EPIC-NSW as measured by MPR is generally high
  - 70% participants achieved excellent to good adherence
- Groups have difficulties in maintaining high PrEP adherence
  - Younger participants
  - Those living in suburbs with lower GBM concentration
  - Those reporting meth use and rectal STI at enrolment



Kirby Institute	NSW Ministry of Health	Site investigators	Site investigators (cont)
David Cooper	Jo Holden	Anna McNulty	Nathan Ryder
Andrew Grulich	Christine Selvey	David Baker	David Smith
Rebecca Guy	Heather-Marie Schmidt	Mark Bloch	Emanuel Vlahakis
Jeff Jin	Dale Halliday	Katherine Brown	David Templeton
Ben Bavinton	Kerry Chant	Christopher Carmody	Phillip Read
Janaki Amin	Bill Whittaker	Andrew Carr	Don Smith
Iryna Zablotska	Community Organisations	Kym Collins	Nick Doong
Barbara Yeung	Nic Parkhill	Robert Finlayson	David Townson
Ges Levitt	Craig Cooper	Catriona Ooi	Bradley Forssman
Erin Ogilvie	Alexis Apostolellis	Eva Jackson	Sarah Martin
Stefanie Vaccher	Matt Vaughan	David Lewis	Tuck Meng Soo
Tobias Vickers	Karen Price	Josephine Lusk	Daniel Chanisheff
Shawn Clackett		Debbie Allen	Ben Anderson
Nila Dharan			Gia Han Thai
Mo Hammoud			Hugh MacLeod

The EPIC-NSW study team thanks the 9,596 participants. EPIC-NSW is funded by the NSW Ministry of Health. We thank Gilead for providing a donation of 2,000py Truvada for use in EPIC-NSW. Study drug was also purchased from Mylan pharmaceuticals.

EPIC-NSW Site	Site Coordinator		
Albury Sexual Health Clinic	Alison Kincaid		
Brookong Sexual Health Centre	Sally-Anne Brennan		
Canberra Sexual Health Centre	Shannon Woodward		
Clinic 16	Amanpreet Bedi		
Coffs Harbour Sexual Health Clinic	Nives Houlihan		
Crown St Medical Centre	Kim Davies-Griffith		
Dr Doong's Surgery	Shane Hewitt		
East Sydney Doctors	Rosh Mousavi		
Fountain Street General Practice	Anne Maree O'Brien		
Green Square Health	Francesca Figg		
Holden Street Clinic	Michael Williamson		
Holdsworth House Medical Practice, Sydney	Annabelle Caspersz		
Illawarra Sexual Health Clinic	Jodie-Lee Little		
Interchange General Practice	Philip Habel		
Kirketon Road Centre	Michelle Styles		
Lismore Sexual Health Centre	Andrew Buggie		
Liverpool Sexual Health Clinic	Sheree Moore		
Nepean Hospital & Blue Mountains Sexual Health Clinics	Adriana Trujillo Lucy Williamson		
Newcastle Community Health Centre	Roisin Dyer		
Macleay Street Medical Practice	David Townson (PI)		
Orange Sexual Health Clinic	Margaret Crowley		
Dubbo Sexual Health Clinic	Kim Grant		
Royal Prince Alfred Sexual Health	Brett Sinclair		
Short Street Clinic	Damien Brown		
St Leonards Medical Centre	Ben Andersen (PI)		
St Vincent's Hospital	John McAllister		
Sydney Sexual Health Centre	Ruthy McIver		
Taylor Square Private Clinic	Hooi Ching Tan		
The Albion Centre	Raghib Ahmad		
Western Sydney Sexual Health Centre	Melissa Power		