










Specialists in vine trimmer technology

Collard has been developing and manufacturing equipment for the vineyard for 5 generations. Headquartered in the heart of the French champagne country, Collard is a major supplier of quality viticulture equipment both locally and throughout the vineyard regions of the world. The equipment is built for the toughest conditions with good design and durable componentry. The company ethos coupled with flexible design, ease of operation and long term reliability delivers the right machine for your vineyard.





P2200 IN ROW TRIMMER

Trims two half rows. Simple operation of vertical lift/lower and synchronised row width adjustment with the electronic joystick control.



P2200T IN ROW TRIMMER

Trims two half rows. Independent lift of RH and LH sides and function to allow synchronised operation of these. Ideal for terraced vineyards, difficult terrain and contractors.



P2200X IN ROW TRIMMER

Trims two half rows. Clear view frame gives maximum visibility in row and in transport mode.



P3200I TWO ROW TRIMMER

Trims two complete rows. Ideal for trimming large vineyards with maximum productivity.



P3200X TWO ROW TRIMMER

Trims two complete rows. Independent lift of RH and LH sides and function to allow synchronised operation of these.



SPECIAL BUILD

Collard can build a trimmer for your application. Whether it is for mounting on a harvester tractor or to suit a particular vineyard Collard have to experience to supply a product for the job. Cutting elements are modular and can be specced to any length to suit vine trellises.



FACTORY OPTIONS

CUSTOMIZE YOUR TRIMMER WITH QUALITY OPTIONS









BOARD LENGTHS CUSTOMISED TO VINEYARD 0.78 - 2.0M



DISKS WITH FLAIL BLADES FOR TOPPING VINES POST HARVEST



HYDRAULIC RAISE ON TOP BOARDS



TRIMMER MODEL SPECIFICATIONS

	P2200	P2200T	P2200X	P3200I	P3200X
No Blades Vertical Board	5	5	5	5	5
Vertical Cut	1.8m	1.8m	1.8m	1.8m	1.8m
Top Cut Width	0.78m	0.78m	0.78m	0.78m	0.78m
Oil Flow (L/MIN)	35-60	35-60	35-60	35-60	35-60
Hydraulic Functions Required	Press/Return + Case Drain				
12V Electrics	Euro Plug				
Weight*	390 kg	462 kg	500 kg	590 kg	586 kg

 ${}^{\mbox{\tiny $^{$}$}}$ Weight may vary according to options fitted



Authorised Dealer: