ANZAAG
Australian & New Zealand Anaesthetic Allergy Group

REFERRAL FORM

PATIENT LABEL

Surname: _____

Given Names: _____

Date of birth: _____ Gender: _____

Address: _____

Record Number:_____

Hand print patient name

Please check patient name, address and phone number on label are correct

Patient's Email:

Home phone: | Mobile:

Referring Doctor (name)**:**

Provider Number:

Position: ☐ Anaes consultant ☐ Anaes Registrar ☐ GP Anaesthetist Other:

Phone: Mobile:

Email:

Postal address:

Patient Medical History

Please tick relevant conditions: ☐ Pregnant ☐ Asthma ☐ Eczema ☐ Hay fever

☐ Drug Allergy (specify)

☐ Food Allergy (specify)

☐ Other Allergy (specify)

Other Medical History:

Current Medication

Tick where patient taking: ☐Oral steroids ☐Antihistamines ☐ βblockers ☐Antidepressants
☐ ACE Inhibitors/AII Receptor antagonist ☐ NSAID

List medications:

ANZAAG
Australian & New Zealand Anaesthetic Allergy Group

REFERRAL FORM

PATIENT LABEL

Surname: _____

Given Names: _____

Date of birth: _____ Gender: _____

Address: _____

Record Number:_____

Hospital where reaction occurred:

Procedure:

Date of reaction: Date of referral:

Time of induction (24 hour clock): Time reaction first noted:

Type of Anaesthesia: ☐ General ☐ Regional ☐ Local ☐ IV sedation

The patient was exposed to the following medications PRIOR to the reaction(indicate time of exposure):

Agent Administered	Time	Agent Administered	Time

Please tick if the patient was exposed to the agents listed below (indicate time of exposure):				Time
☐ Chlorhexidine	☐ wipes	☐ skin prep	☐ Other (specify):	
☐ Skin preparation	Type:			
☐ Latex	☐ Gloves	☐ Other (specify):		
☐ Contrast Agent	Type:			
☐ Methylene Blue	☐ Patent Blue			
☐ Colloid	Type:			
☐ Blood products	Type:			
☐ Antibiotics	Type:			
☐ Central venous line	☐ Chlorhexidine coated	☐ Antibiotic coated	☐ Other	
☐ Vaginal packing	Type:			
☐ Urinary catheter	Type:			
☐ Lubricant	Type:			
☐ Other				

ANZ ANAESTHETIC ALLERGY GROUP REFERRAL FORM



ANZAAG
Australian & New Zealand
Anaesthetic Allergy Group

REFERRAL FORM

PATIENT LABEL

Surname: _____

Given Names: _____

Date of birth: _____ Gender: _____

Address: _____

Record Number:_____

Symptoms & Signs of Reaction

Tachycardia >100bpm (before adrenaline administered)	☐ Yes	☐ No	
Bradycardia <60bpm	☐ Yes	☐ No	
Arrhythmia	☐ Yes	☐ No	Type:
Cardiac arrest	☐ Yes	☐ No	
Hypotension	☐ Yes	☐ No	Time with systolic < 60mmHg _____mins
Cough	☐ Yes	☐ No	
Bronchospasm	☐ Yes	☐ No	☐ Mild wheeze ☐ Moderate wheeze ☐ Severe wheeze ☐ Dyspnoea reported by patient ☐ Difficult to ventilate ☐ Very difficult to ventilate
Low oxygen saturations	☐ Yes	☐ No	☐ SpO2 80-90 ☐ SpO2 <80
Flushing/erythema	☐ Yes	☐ No	☐ Localised or ☐ Generalised
Urticaria	☐ Yes	☐ No	☐ Localised or ☐ Generalised
Piloerection	☐ Yes	☐ No	
Angioedema	☐ Yes	☐ No	
Swelling	☐ Yes	☐ No	Site_____ Duration_____
Other cutaneous signs	☐ Yes	☐ No	Specify:
Gastrointestinal signs	☐ Yes	☐ No	☐ Nausea ☐ Vomiting ☐ Abdominal cramps/pain ☐ Other_____
What was the first symptom you noticed?			
What was the predominant symptom?			
Comments:			

ANZ ANAESTHETIC ALLERGY GROUP REFERRAL FORM

ANZAAG
Australian & New Zealand Anaesthetic Allergy Group

REFERRAL FORM

PATIENT LABEL

Surname: _____

Given Names: _____

Date of birth: _____ Gender: _____

Address: _____

Record Number:_____

Details of Treatment

Airway Management

Assisted/Mechanical Ventilation ☐ Yes ☐ No ☐ Planned ☐ Unplanned

Endotracheal intubation ☐ Yes ☐ No ☐ Before onset ☐ After onset

Bronchospasm treatment? ☐ Yes ☐ No

Specify agent/s used & dose:

Adrenaline given? ☐ Yes ☐ No ☐ IV ☐ IM ☐ SC ☐ ETT

Total dose administered:_____mcg

IV Fluids given for resuscitation? ☐ Yes ☐ No

Specify type/s of fluid & total volume:

Cardiac compressions? ☐ Yes ☐ No How long was CPR performed?: _____mins

Cardioversion/Defibrillation ☐ Yes ☐ No Number of shocks:_____

Vasopressors other than adrenaline given? ☐ Yes ☐ No

☐ Ephedrine Dose_____mg ☐ Metaraminol Dose_____mg

☐ Vasopressin Dose_____mg ☐ Phenylephrine Dose_____mg

☐ Noradrenaline Dose_____mg ☐ Methylene Blue Dose_____mg

☐ Other (specify):

Steroids given? ☐ Yes ☐ No

Specify steroid used & dose:

Antihistamines used? ☐ Yes ☐ No

Specify antihistamine used & dose:

Did you use the ANZAAG Anaphylaxis Management Resource? ☐ Yes ☐ No

Please comment on any ways in which you think the resource was helpful or could be improved:

Other treatments/Comments:

ANZ ANAESTHETIC ALLERGY GROUP REFERRAL FORM

ANZAAG
Australian & New Zealand Anaesthetic Allergy Group

REFERRAL FORM

PATIENT LABEL

Surname: _____

Given Names: _____

Date of birth: _____ Gender: _____

Address: _____

Record Number: _____

Investigations

Serum tryptase taken? ☐ Yes ☐ No

Recommended to take 10ml samples 1-2 hours, 4 hours and more than 24 hours after reaction:

Please record time samples taken and attach results to this referral (where available)

☐ Sample 1: Time_____Result:_____mcg/L ☐ Sample 3: Time_____Result:_____mcg/L

☐ Sample 2: Time_____Result:_____mcg/L ☐ Sample 4: Time_____Result:_____mcg/L

Which pathology laboratory were the specimens sent to?

Is there a differential diagnosis other than anaphylaxis that you think may have caused the reaction?

Comments:

Outcome/Sequelae

☐ Operation/procedure completed or ☐ Operation/procedure abandoned

Patient transferred to PACU/recovery? ☐ Yes ☐ No

Was the patient admitted to hospital? ☐ Yes ☐ No ☐ Tick if admission unplanned

Postoperative care in ICU/HDU? ☐ Yes ☐ No

If yes: Was the patient still intubated/ventilated on transfer? ☐ Yes ☐ No Duration_____

Was an inotrope infusion continued? ☐ Yes ☐ No Duration_____

How long was the patient in ICU? _____

Were there any further complications?

☐ ECG Changes ☐ Coagulopathy ☐ Troponin rise ☐ Pneumothorax ☐ Anxiety/PTSD

Other _____

Severity of Allergic Reaction

Please specify the Grade of Allergic Reaction from the categories below:

☐ **Grade I** – **cutaneous-mucous signs**: erythema, urticaria with or without angioedema

☐ **Grade II** – **Moderate multivisceral signs**: cutaneous-mucous signs +/- hypotension +/- tachycardia +/- dyspnoea +/- gastrointestinal disturbance

☐ **Grade III – Life-threatening mono- or multivisceral signs**: cardiovascular collapse, tachycardia or bradycardia +/- cardiac dysrythmia +/- bronchospasm +/- cutaneous-mucous signs +/- gastrointestinal disturbance

☐ **Grade IV – cardiac arrest**

ANZAAG
Australian & New Zealand Anaesthetic Allergy Group

REFERRAL FORM

PATIENT LABEL

Surname: _____

Given Names: _____

Date of birth: _____ Gender: _____

Address: _____

Record Number: _____

Comments:

Please tick to acknowledge that you are aware of the following:

- ☐ You are responsible for forwarding this referral and supporting documents listed to your nearest or preferred ANZAAG member. A contact list of testing specialists can be found at www.anzaag.com
- ☐ A copy of the resuscitation/anaesthetic/PACU charts and tryptase results (where available) must accompany this referral.
- ☐ The correct patient details have been supplied to allow follow up with the patient.
- ☐ The patient is aware of the events and this referral. The patient information brochure available at www.anzaag.com may assist with this discussion.
- ☐ The patient has a letter listing all substances administered perioperatively to show to those providing care until testing can be conducted. A form letter is available at www.anzaag.com to assist in this process.

ANZ ANAESTHETIC ALLERGY GROUP REFERRAL FORM