

Polarimetry as a tool for physical characterization of potentially hazardous NEOs

Maxime Devogèle¹ & Nicholas Moskovitz²

¹Arecibo Observatory/University of Central Florida

²Lowell Observatory

Planetary Defense Conference 2021
April 27, 2021




Image credit: Israel Cabrera Photography



What is polarimetry?





Measure of the linear polarization of the sun-light scattered by the surface of an asteroid



What is polarimetry?





Polarimetry is mainly dependent on the phase angle




Why polarimetry is important?




The phase-polarization curve is dependent on the albedo



NEOs observations in polarimetry




NEOs can be observed at higher phase angles



Polarimetry-Albedo relation




Bowell et al. 1973




The Umov law is
linking the albedo to
the maximum of
polarization

Polarimetry-Albedo relation




Polarimetry-Albedo relation




Ryugu
Bennu
1998 KU2
Phaethon
Albedo $\sim 0.02 - 0.1$

Polarimetry-Albedo relation




2021 PDC: $150\text{m} < D < 330\text{m}$

Polarimetry-Albedo relation




1999 JD6
Albedo ~ 0.14

Polarimetry-Albedo relation




2021 PDC: $120\text{m} < D < 150\text{m}$


Polarimetry-Albedo relation



Polarimetry-Albedo relation




Polarimetry-Albedo relation



1999 WT24
2004 VD17

...
Albedo~
0.45-0.75

Polarimetry-Albedo relation



2021 PDC: $50\text{m} < D < 80\text{m}$

Conclusions



- Polarimetry is very effective to obtain albedo information
- One measurement can reduce the size uncertainty by a factor of 2 to 10
- We need new observations to better calibrate the polarimetry-albedo relation
- We need more polarimeters on large aperture telescopes