



# EC BBR Level 1 Products Assessment within BRAVO Project

*Christine Aebi, Almudena Velazquez Blazquez, Edward Baudrez, Nicolas Clerbaux*

*Royal Meteorological Institute of Belgium (RMIB)*

1<sup>st</sup> ESA-JAXA EarthCARE In-Orbit Validation Workshop  
14 - 17 January 2025 | VIRTUAL EVENT



# Introduction BBR Level-1 Products



- B-NOM

**SW** and **LW**  
 filtered radiance  
 integrated over  
 three resolutions:

Resolution	along-track (km) x across-track (km)
Small	10 x 5 (configurable)
Standard	10 x 10
Full	Nadir: 10 x ~17 Off-nadir: 10 x ~ 28

- B-SNG

**SW** and **TW** filtered  
 radiance at pixel level






## B-NOM Analysis

- Shortwave (SW) and longwave (LW) filtered radiance.
- Data used from Aug 1, 2024 to Dec 31, 2024.
- Baseline AC (newest one available).
- Frames which contain obvious erroneous data were removed from the analysis (up to around 30 frames per month or less than 1 %).
- Selection of daytime and nighttime:
  - Daytime:  $SZA < 80^\circ$
  - Nighttime:  $SZA > 100^\circ$

# Distribution LW Radiance, Aug 2024



Standard Resolution



All values in  $Wm^{-2}sr^{-1}$

View	Mean	Std	Median
Aft	69.41	17.42	71.85
Nadir	74.45	18.43	76.75
Fore	69.40	17.40	71.82

N = 12 755 456



- AFT and FORE views are in good agreement.
- NADIR view slightly higher due to limb darkening.

# LW Radiance per 1°x1° Lat.-Lon.-Bin, All-day, Aug 2024





- Good consistency in the AFT and FORE views.
- Limb darkening.





# Distribution LW Radiance, Aug 2024

Standard Resolution






View	Mean	Std	Median
Aft	73.59	15.93	75.13
Nadir	79.31	16.63	80.55
Fore	73.54	15.92	75.07

N = 5'616'186

View	Mean	Std	Median
Aft	69.24	17.44	73.33
Nadir	74.17	18.25	78.61
Fore	69.27	17.45	73.40

N = 5'585'059

# Mean Values of LW Radiance per Month








# LW Radiance per 1°x1° Lat.-Lon.-Bin, Nadir View, Aug - Dec 2024

Aug 24



Sep 24

Oct 24



Nov 24






Dec 24



- Decreasing mean LW radiance values from August to September 2024.
- Differences rather over the land than over the ocean.



# LW Radiance per 1° Lat-Bin, All-day, Aug – Dec 2024




- Gaps in the AFT view at the beginning of each frame – will be corrected in baseline AD.




# Comparison of different resolutions B-NOM product: LW Radiance


Small Resolution



Standard Resolution





Full Resolution



Dec 2024

- Good consistency between the small and the standard resolution.
- FORE view in the full resolution shows some issues (due to a dead pixel).






# Distribution SW Radiance, Aug 2024

Standard Resolution

All values in  $Wm^{-2}sr^{-1}$

B-NOM (AC) Standard Resolution Filtered Shortwave Radiance Aug 24 with SZA < 80°





View	Mean	Std	Median
Aft	82.74	50.54	72.83
Nadir	64.69	50.34	49.73
Fore	82.27	51.37	71.09

N = 5 616 186

- All three views show (slightly) different distributions.
- NADIR view slightly lower due to limb brightening.

# SW Radiance per 1°x1° Lat.-Lon.-Bin, Daytime, Aug 2024



- Good consistency in the AFT and FORE views.
- Missing data in AFT view (latitudinal bands).
- Limb brightening.







# SW Radiance and Relative Azimuth Angle per 1° Lat-Bin, Aug 2024

B-NOM (AC) Standard Resolution Aug 2024 and SZA < 80°


Daytime



Difference SW AFT – SW FORE for cases with RAA between 85° and 95°:



# Mean Values of SW Radiance during Daytime per Month





# SW Radiance per 1°x1° Lat.-Lon.-Bin, Nadir, Daytime, Aug - Dec 2024

Aug 24




Sep 24

Oct 24

Binned Latitude-Longitude Plot with Mean SW Radiance NADIR B-NOM Aug 24, SZA < 80°

Binned Latitude-Longitude Plot with Mean SW Radiance NADIR B-NOM Sep 24, SZA < 80°

Binned Latitude-Longitude Plot with Mean SW Radiance NADIR B-NOM Oct 24, SZA < 80°





Nov 24

Dec 24

Binned Latitude-Longitude Plot with Mean SW Radiance NADIR B-NOM Nov 24, SZA < 80°

Binned Latitude-Longitude Plot with Mean SW Radiance NADIR B-NOM Dec 24, SZA < 80°




- Largest changes are detected over the Southern polar regions.






# SW Radiance per 1° Lat-Bin, Daytime, Aug – Dec 2024


B-NOM (AC) Standard Resolution Mean Filtered SW Radiance per 1° Latitude Aug 2024 and SZA < 80°




B-NOM (AC) Standard Resolution Mean Filtered SW Radiance per 1° Latitude Sep 2024 and SZA < 80°




B-NOM (AC) Standard Resolution Mean Filtered SW Radiance per 1° Latitude Oct 2024 and SZA < 80°



B-NOM (AC) Standard Resolution Mean Filtered SW Radiance per 1° Latitude Nov 2024 and SZA < 80°



B-NOM (AC) Standard Resolution Mean Filtered SW Radiance per 1° Latitude Dec 2024 and SZA < 80°




- Gaps in the AFT view at the beginning of each frame – will be corrected in baseline AD.






# Comparison of different resolutions B-NOM product: SW Radiance


Small Resolution



Standard Resolution



Full Resolution



Daytime, Dec 2024

- Good consistency between all three resolutions.

# Summary

- B-NOM filtered radiance from Aug 1, 2024 to Dec 31, 2024, baseline AC.
- AFT and FORE views show good agreement.
- Limb darkening and brightening visible.
- Small and standard resolutions are promising, full resolution has currently several issues in the FORE view:
  - Should be solved in a next baseline release.
- Since B-NOM is providing filtered radiances, for scientific studies, it is recommended to use the BM-RAD product that accounts for scene-dependent unfiltering.



# Summary

- B-NOM filtered radiance from Aug 1, 2024 to Dec 31, 2024, baseline AC.
- AFT and FORE views show good agreement.
- Limb darkening and brightening visible.
- Small and standard resolutions are promising, full resolution has currently several issues in the FORE view:
  - Should be solved in a next baseline release.
- Since B-NOM is providing filtered radiances, for scientific studies, it is recommended to use the BM-RAD product that accounts for scene-dependent unfiltering.

**Thank you**