



 OR Technology

Mobile X-ray solution
for ambulatory and
inpatient care

Amadeo M-DR mini

- **Lightweight & mobile** for flexible and location-independent use
- For **X-rays from head to toe** on lying, sitting or standing patients
- **Uninterrupted work** in case of power failure/voltage fluctuations due to integrated rechargeable battery
- **Very safe** due to small control area
- **X-ray software included** for image acquisition and diagnostics incl. cloud connection
- Automatic, **AI-based thorax screening**

CE 0482

FDA
510(k) cleared



MDSAP Certification
QMS ISO13485

Amadeo M-DR mini

Fulfils almost all requirements & wishes:

Light & mobile:
flexible and location-independent use - system is one of the lightest mobile and wireless complete X-ray systems worldwide

Including X-ray software:
Operation via *dicomPACS® DX-R* Acquisition console with 24" touchscreen monitor and integrated X-ray positioning guide

X-ray technology **„Made in Germany“**: durable, low-maintenance and crisis-proof



Automatic, **AI-based thorax screening** to detect various lung diseases*

Optimal stability and robustness
including splash-proof compartments, no external cable ducts


Uncomplicated transport System is easy to transport and fits into a normal estate car - system can be easily pulled over stairs, can be turned on the spot



Status display of the software on the unit (in 3 colours)



Your **smartphone as remote control** via app for planning and viewing images during the X-ray process



Easy exchange of information:
integrated diagnostic software offers a worldwide, fast and cost-effective exchange of information (via cloud or e-mail)

Problem-free X-ray:
fully integrated, multimedia X-ray positioning guide on the correct setting technique for every examination incl. many tips, photos, videos and example images

Very safe:
Excellent lead shielding - only low housing transmission, therefore reduction of the control area to only 1.5 m.**

Uninterrupted work in case of power failure and voltage fluctuations due to integrated rechargeable battery



Protected on long journeys:
Loading is very easy, without lifting the system, via an integrated driving ramp - system can be transported completely (final assembly is not required)

*optional - Connection with AI-supported thorax screening through a qualified third-party provider
**depending on the selected X-ray source

Advantages of professional acquisition software

- Modern graphical user interface (GUI) adaptable to almost any language, **touchscreen** operation – to ensure quick and efficient work and a smooth workflow
- Capture patient data via **DICOM Worklist**, **BDT/GDT**, **HL7** or other protocols – data can also be captured manually
- Use **DICOM Procedure Codes** to transfer all relevant examination data directly from the connected patient management system (HIS/RIS)
- Configuration of **already integrated** body parts with more than **400 projections** and numerous possible adjustments
- Safe and fast **registration of emergency patients** allowing the user to **switch between examinations** of a patient, for instance to avoid having to re-position the patient frequently
- Allows the user to **subsequently add images** to an examination, even after that examination has been completed
- Additional **special functions**, such as **AI-supported and automatic thorax screening***, Chiro Tools (diagnostic tools for efficient analyses) and tools that assist with NUCCA examinations
- User-defined macros for recurring examinations**, e.g. thorax screenings
- Fully **integrated radiographic positioning guide** for each examination incl. comprehensive notes, photos, videos and correct X-ray images
- Option to **control** a digital X-ray system **via wireless remote** incl. display of the worklist, preview of the image taken for checking and much more



Standard components

Amadeo M-DR mini system

Components of the mobile X-ray unit

Dimensions: 56,5 x 136,5 cm;
with maximum height positioning: 124,6 x 195,5 cm

Weight: depending on the configuration



Stand

- Advanced industrial design
- All parts are made and assembled in Germany
- Built in notebook and X-ray detector compartments
- Excellent stability and mechanical strength yet lightweight
- Stairs are no obstacle to this lightweight X-ray system
- High tipover stability on uneven terrain
- Maximum height setting: approx. 187 cm from the floor while extending the X-ray tube to 55 cm
- Meets even the highest hygiene standards in hospitals



High frequency generator Amadeo P-110/100H

- 5 kW, 110 kV / 100 mA
- Modern LED light
- High-performance capacitor for stable and reliable power supply
- Equipped with remote control functions by hand switch
- Flat touchpanel, digital display, LED display
- Constant X-ray output without impact of power fluctuation
- 7 segment LED read out (reversible): mAs / KV, data storage and store button, LED indicator: ready & exp. wait



Flat panel detector 14" x 17" wireless (35 x 43 cm)

Operation by dicomPACS®DX-R acquisition station

Notebook incl. the professional console software dicomPACS®DX-R with modern graphic user interface with generator control, integrated X-ray positioning guide and basic software modules:

- dicomPACS®DX-R DICOM Send SCU
- dicomPACS®DX-R DICOM Patient CD
- dicomPACS®DX-R Cognition Optimised Processing



Optional components

Transport box

for optimum protection made of plastic; loading the system into the box is easy thanks to the integrated ramp; there is no need to lift the system at all

Wireless remote control

Possibility of wireless control of the digital X-ray system with the app "dicomPACS®DX-R remote control" via smartphone or tablet incl. display of the worklist, preview of the captured image to check the shot etc. - a shot can be rescheduled directly in the app



Other optional features

- DAP meter (Dose area product meter)
- Portable X-ray table, including carrying case
- Portable wall stand, including carrying case
- Mobile table for patient positioning
- VersariX portable X-ray detector mounting system
- Mobile stand for DR detectors and cassettes

Specifications subject to revision without notice

The editor strives to impart correct and up to date information. The provided specifications are based on current knowledge and are subject to revision without notice. This brochure is subject to correction. The editor assumes no responsibility for the information being up to date, correct and complete.

All furnished logos, pictures and graphics are property of the particular company and subject to copyright of the licensor. Use, dissemination, distribution or copying of the pictures, logos or text compiled or processed by the editor is subject to our written consent. All rights reserved.



OR Technology

www.or-technology.com | **X-perts in X-ray**



Headquarters:

OR Technology (Oehm und Rehbein GmbH), 18057 Rostock, Germany, Neptunallee 7c

Tel. +49 381 36 600 500, Fax +49 381 36 600 555

www.or-technology.com, info@or-technology.com

OR Technology UK: Celtic SMR Ltd., Frederick House, Hayston View, Johnston

Haverfordwest, Pembrokeshire SA62 3AQ, United Kingdom

www.celticsmr.co.uk, sales@celticsmr.co.uk

Info hotline: +49 381 36 600 600



[Stamp of distribution partner]



More information about Amadeo M-DR mini
can be found here: www.or-technology.com